MOSQUETON ABIERTO
SNAP HOOK



GOLDENSHIP

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.

Ø	Dimensiones *Dimensions* L - A - E	C.Rot *Br.L.* Kgs	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
4 mm.	40-6-5mm.	230	**GS71219**	1 x	**GS71219B**	25 x
5 mm.	50-8-6mm.	340	**GS71220**	1 x	**GS71220B**	25 x
6 mm.	60-9-7mm.	510	**GS71221**	1 x	**GS71221B**	25 x
7 mm.	70-10-8mm.	630	**GS71222**	1 x	**GS71222B**	25 x
8 mm.	80-12-9mm.	780	**GS71223**	1 x	**GS71223B**	15 x
10 mm.	100-15-12mm.	1180	**GS71224**	1 x	**GS71224B**	15 x
11 mm.	120-18-16mm.	1390	**GS71225**	1 x	**GS71225B**	10 x
12 mm.	140-20-19mm.	1650	**GS71226**	1 x	**GS71226B**	10 x
13 mm.	160-22-25mm.	1890	**GS71227**	1 x	**GS71227B**	10 x

MOSQUETON CERRADO
SNAP HOOK with EYELET

GOLDENSHIP



Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.

Ø	Dimensiones *Dimensions* L - A - E	C.Rot *Br.L.* Kgs	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
5 mm.	50-6-6mm.	340	**GS71230**	1 x	**GS71230B**	25 x
6 mm.	60-7-7mm.	510	**GS71231**	1 x	**GS71231B**	25 x
7 mm.	70-9-8mm.	630	**GS71232**	1 x	**GS71232B**	25 x
8 mm.	80-10-9mm.	780	**GS71233**	1 x	**GS71233B**	15 x
10 mm.	100-13-12mm.	1180	**GS71234**	1 x	**GS71234B**	15 x
11 mm.	120-14-16mm.	1390	**GS71235**	1 x	**GS71235B**	10 x

MOSQUETON «X-LARGE»
CARABINE SHACKLE

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.



CE - EN 362

Dimensiones en mm./ ***Measures in mm.***

Ref.	Envase/*Pack*	Ref.	Envase/*Pack*
GS71313	1 x skinpack	**GS71313B**	5 x bolsa / *bag*

MOSQUETON GIRATORIO
SWIVEL SNAP HOOK

Fabricado en bronce naval al manganeso, pulido.
Muelle de acero inox.
Made of naval manganese bronze with spring of stainless steel.



Tamaño *Size*	Dimensiones *Dimensions* A - B	Peso *Weight*	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
1	17 - 82 mm.	58 grs.	**GS71300**	1 x	**GS71300B**	10 x
2	20 - 94 mm.	85 grs.	**GS71301**	1 x	**GS71301B**	10 x
3	20 - 115 mm.	120 grs.	**GS71302**	1 x	**GS71302B**	10 x

MOSQUETON «TRIGGER»
SNAP HOOK «TRIGGER»

Fabricado en bronce naval al manganeso, pulido.
Muelle de acero inox.
Made of naval manganese bronze with spring of stainless steel.



Dimensiones en mm.
Meassures in mm.

Tamaño *Size*	Dimensiones *Dimensions* A - B	Peso *Weight*	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
3/8	10 - 65	22 grs.	**GS71303**	1 x	**GS71303B**	10 x
1/2	12 - 68	23 grs.	**GS71304**	1 x	**GS71304B**	10 x
5/8	16 - 80	50 grs.	**GS71305**	1 x	**GS71305B**	10 x
3/4	21 - 82	55 grs.	**GS71306**	1 x	**GS71306B**	10 x
1	25 - 90	66 grs.	**GS71307**	1 x	**GS71307B**	10 x
1.1/8	28 - 110	108grs.	**GS71308**	1 x	**GS71308B**	10 x
1.1/4	32 - 121	151grs.	**GS71309**	1 x	**GS71309B**	10 x

MOSQUETON FIJO
FIXED SNAP HOOK

Fabricado en bronce naval al manganeso, pulido.
Muelle de acero inox.
Made of naval manganese bronze with spring of stainless steel.



Dimensiones en mm.
Measures in mm.

Tamaño *Size*	Dimensiones *Dimensions* A - B	Peso *Weight*	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
1	16 - 73 mm.	43 grs.	**GS71310**	1 x	**GS71310B**	10 x
2	19 - 85 mm.	65 grs.	**GS71311**	1 x	**GS71311B**	10 x
3	19 - 97 mm.	110 grs.	**GS71312**	1 x	**GS71312B**	10 x

MOSQUETON ASIMETRICO
ASYMMETRICAL SHACKLE

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.

Dimensiones *Dimensions* A - B - E	C.Max.	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
80 - 8 - 12 mm.	1200 kg.	**GS71338**	1 x	**GS71338B**	5 x

MOSQUETON ARNES ABIERTO
HARNESS SNAP SHACKLE

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.

Dimensiones en mm.
Meassures in mm.



Dimensiones *Dimensions* A - B - C - D - E	C.Max.	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
85 - 8 - 12 - 9 - 18	15 kN	**GS71314**	1 x	**GS71314B**	10 x
100 - 10- 12 -10 -19	22 kN	**GS71315**	1 x	**GS71315B**	10 x
125 - 11- 18 -15 -26	28 kN	**GS71316**	1 x	**GS71316B**	5 x

MOSQUETON ARNES C/SEGURO
HARNESS SNAP SHACKLE w/ LOCK

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.

Dimensiones en mm.
Meassures in mm.

CE - EN 362



MOSQUETON ABIERTO / *SNAP HOOK OPEN*

Dimensiones *Dimensions* A - B - C - D - E	C.Max.	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
85 - 8 - 12 - 9 - 17	15 kN	**GS71317**	1 x	**GS71317B**	10 x
100 - 10- 13 -10 -17	22 kN	**GS71318**	1 x	**GS71318B**	10 x
124 - 11- 17 -12 -22	22 kN	**GS71339**	1 x	**GS71339B**	10 x

MOSQUETON CERRADO / *SNAP HOOK with EYELET*

Dimensiones *Dimensions* A - B - C - D - E	C.Max.	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
85 - 8 - 12 - 9 - 17	15 kN	**GS71340**	1 x	**GS71340B**	10 x
100 - 10- 13 -10 -17	22 kN	**GS71341**	1 x	**GS71341B**	10 x
124 - 11- 17 -12 -22	22 kN	**GS71342**	1 x	**GS71342B**	10 x

MOSQUETON ABIERTO
SNAP HOOK

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.



Dimensiones en mm.
Meassures in mm.

Dimensiones *Dimensions* A - B - C - D - E	C.Max.	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
50 - 5 - 8 -5.5- 7.5	--	**GS71319**	1 x	**GS71319B**	20 x
60 - 6 - 9 -6.5 - 9	--	**GS71320**	1 x	**GS71320B**	20 x
70 - 7 - 10 - 8 - 9	--	**GS71321**	1 x	**GS71321B**	10 x
80 - 8 - 11 -8.5-11	800 kg	**GS71322**	1 x	**GS71322B**	10 x
100 -10-15-10.5-15	1200 kg	**GS71323**	1 x	**GS71323B**	10 x
120 -11 -18-12 - 17	2000 kg	**GS71324**	1 x	**GS71324B**	10 x
160 -13-23-17.5-30	2400 kg	**GS71325**	1 x	**GS71325B**	10 x

MOSQUETON ABIERTO ESPECIAL
SNAP SHACKLE

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.



Dimensiones en mm.
Meassures in mm.

Dimensiones *Dimensions* A - B - C - D - E	C.Max.	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
80 - 8 -11 - 9 - 18	15 kN	**GS71335**	1 x	**GS71335B**	10 x
100 -10-15-10.5-19	22 kN	**GS71336**	1 x	**GS71336B**	10 x
120 -11- 18-12 -26	28 kN	**GS71337**	1 x	**GS71337B**	5 x

MOSQUETON CON SEGURO
SNAP SHACKLE w/ LOCK

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.

Dimensiones en mm.
Meassures in mm.

Dimensiones *Dimensions* A - B - C - D - E	C.Max.	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
80 - 8 -11 -8.5-25	800 kg	**GS71333**	1 x	**GS71333B**	10 x
100 -10-15-10.5-32	1200 kg	**GS71334**	1 x	**GS71334B**	10 x

MOSQUETON CERRADO
SNAP HOOK with EYELET

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.



Dimensiones en mm.
Meassures in mm.

Dimensiones *Dimensions* A - B - C - E	C.Max.	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
50 - 5 - 8 - 7.5	--	**GS71326**	1 x	**GS71326B**	20 x
60 - 6 - 9 - 9	--	**GS71327**	1 x	**GS71327B**	20 x
70 - 7 - 10 - 9	--	**GS71328**	1 x	**GS71328B**	10 x
80 - 8 - 11 - 11	800 kg	**GS71329**	1 x	**GS71329B**	10 x
100 -10 -15 - 15	1200 kg	**GS71330**	1 x	**GS71330B**	10 x
120 -11 - 18 - 17	2000 kg	**GS71331**	1 x	**GS71331B**	10 x
160 -13 - 23 - 30	2400 kg	**GS71332**	1 x	**GS71332B**	10 x

RECAMBIOS MARINOS S.L.

TOMADOR INOX
SHOCK CORDS

Tomador elástico con ganchos de acero inox. AISI-316.
Shock-cords with 2 stainless steel hooks.

GOLDENSHIP

Ref.	Ø	Longitud *Length*	Peso *Weight*	Envase *Packing*
GS60120	6 mm	30 cms	25 grs	2 x bolsa/*bag*
GS60121	8 mm	50 cms	70 grs	2 x bolsa/*bag*
GS60122	10 mm	60 cms	100 grs	1 x bolsa/*bag*
GS60123	10 mm	75 cms	110 grs	1 x bolsa/*bag*

MIL PATAS
«MILLEPEDE»

Cuerda elástica con 2 ganchos inox y tomadores para aferrar la vela a la botavara.
Shockcord with nylon toggles and S.S. hooks.
To fix the mainsail to the boom.

GOLDENSHIP

Ref.	Ø	Longitud *Length*	Peso *Weight*	Envase *Packing*
GS60148	8 mm	200 cms	260 grs	1 x bolsa/*bag*
GS60149	10 mm	300 cms	410 grs	1 x bolsa/*bag*

TOMADOR NYLON
SHOCK CORDS

GOLDENSHIP

Tomador elástico con 2 ganchos de nylon blanco.
Shock-cords with 2 nylon hooks

Ref.	Ø	Longitud *Length*	Peso *Weight*	Envase *Packing*
GS60135	4 mm	20 cms	8 grs	4 x bolsa/*bag*
GS60136	4 mm	30 cms	12 grs	4 x bolsa/*bag*
GS60137	6 mm	30 cms	15 grs	2 x bolsa/*bag*
GS60138	8 mm	50 cms	47 grs	2 x bolsa/*bag*

TOMADOR NYLON
SHOCK CORDS

GOLDENSHIP

Tomador elástico con 1 gancho de nylon blanco.
Shock-cords with 1 nylon hook.

Ref.	Ø	Longitud *Length*	Peso *Weight*	Envase *Packing*
GS60130	4 mm	20 cms	18 grs	4 x bolsa/*bag*
GS60131	4 mm	35 cms	25 grs	4 x bolsa/*bag*
GS60132	4 mm	55 cms	35 grs	2 x bolsa/*bag*

GRAPA INOX
CLAMP RINGS

Fabricados en acero inox.
Manufactured in stainless steel.

GOLDENSHIP

Ref.	Para elástico de: *For shock cords of:*	Envase *Packing*
GS60106	4 mm.	10 x bolsa/*bag*
GS60107	6 mm.	10 x bolsa/*bag*
GS60108	8 mm.	10 x bolsa/*bag*
GS60109	10 mm.	10 x bolsa/*bag*

TOMADOR DE VELA
SAIL FASTENERS

Tomador elástico con bolas de plástico.
Sail fasteners with plastic balls.

GOLDENSHIP

Ref.	Ø	Longitud *Length*	Peso *Weight*	Envase *Packing*
GS60125	4 mm	30 cms	20 grs	4 x bolsa/*bag*
GS60126	4 mm	40 cms	25 grs	4 x bolsa/*bag*
GS60127	4 mm	50 cms	30 grs	2 x bolsa/*bag*
GS60128	4 mm	60 cms	35 grs	2 x bolsa/*bag*

TOMADOR «OLIVA»
«OLIVE» SAIL FASTENER

GOLDENSHIP

Tomador con un sistema que permite bloquearlo en diferentes longitudes.
Stop system that allows to block the shork cord at different lenghts.

Ref.	Ø	Longitud *Length*	Peso *Weight*	Envase *Packing*
GS60145	5 mm	55 cms	15 grs	2 x bolsa/*bag*
GS60146	6 mm	75 cms	35 grs	2 x bolsa/*bag*
GS60147	8 mm	80 cms	50 grs	2 x bolsa/*bag*

TERMINAL «OLIVA»
«OLIVE» TERMINAL

Fabricados en nylon.
Manufactured in nylon.

GOLDENSHIP

Ref.	Para elástico de: *For shock cords of:*	Color *Color*	Envase *Packing*
GS60142	5 mm.	Rosa/*Pink*	2 x skinpack
GS60143	6 mm.	Lila/ *Lilac*	2 x skinpack
GS60144	8 mm.	Rojo/*Red*	2 x skinpack

GANCHO INOX
S.S.HOOK

Fabricados en acero inox AISI-316
Manufactured in stainless steel AISI-316.

GOLDENSHIP

Ref.	Para elástico de: *For shock cords of:*	Envase *Packing*
GS60115	6 mm.	2 x skinpack
GS60116	8 mm.	2 x skinpack
GS60117	10 mm.	2 x skinpack

GANCHO NYLON
NYLON HOOK

GOLDENSHIP

Fabricados en nylon blanco.
Manufactured in white nylon.

Ref.	Para elástico de: *For shock cords of:*	Envase *Packing*
GS60110	4 mm.	2 x skinpack
GS60111	6 mm.	2 x skinpack
GS60112	8 mm.	2 x skinpack
GS60113	10 mm.	2 x skinpack

CABO DE POLIESTER «SUPERIOR»
POLYESTER ROPE «SUPERIOR»

Cabo de 100%. poliester de alta tenacidad. Ideal para amarre y fondeo.
Acalabrotado 3 cordones.
No flota.
3 strand rope in 100% high tenacity polyester. For anchor and mooring.
Non floating.

Ø	Ref.color Blanco *White*	Carga rotura *Breaking load*	Bobina *Reel*
6 mm	POL1209044006	630 kgs	250 m.
8 mm	POL1209042608	1260 kgs	150 m.
10 mm	POL1209043710	1800 kgs	220 m.
12 mm	POL1209042912	2520 kgs	165 m.
14 mm	POL1209042114	3240 kgs	110 m.
16 mm	POL1209041716	4050 kgs	85 m.
18 mm	POL1209041318	5220 kgs	65 m.
18 mm	POL1109042118	5220 kgs	110 m.*
20 mm	POL1209041720	6480 kgs	85 m.
20 mm	POL1109042120	6480 kgs	110 m.*
22 mm	POL1109042122	7650 kgs	110 m.*
24 mm	POL1109042124	8820 kgs	110 m.*
26 mm	POL1109042126	9900 kgs	110 m.*
28 mm	POL1109042128	12510 kgs	110 m.*
32 mm	POL1109042132	15570 kgs	110 m.*

* Rollo / *Coil*

CABO DE POLIPROPILENO «POLYSOFT»
POLYPROPILENE ROPE «POLYSOFT»

Cabo de polipropileno multifilamento. No absorbe el agua.
Acalabrotado 3 cordones.
3 strand rope in multifilament polypropilene.
Does not absorb water.

Ø	Ref.color Azul *Blue*	Carga rotura *Breaking load*	Bobina *Reel*
6 mm	POL1266254006	550 kgs	250 m.
8 mm	POL1266252608	870 kgs	150 m.
10 mm	POL1266253710	1300 kgs	220 m.
12 mm	POL1266252912	1860 kgs	165 m.
14 mm	POL1266252114	2560 kgs	110 m.
16 mm	POL1266251716	3250 kgs	85 m.

Ø	Ref.color Blanco *White*	Carga rotura *Breaking load*	Bobina *Reel*
6 mm	POL1209254006	550 kgs	250 m.
8 mm	POL1209252608	870 kgs	150 m.
10 mm	POL1209253710	1300 kgs	220 m.
12 mm	POL1209252912	1860 kgs	165 m.
14 mm	POL1209252114	2560 kgs	110 m.
16 mm	POL1209251716	3250 kgs	85 m.

CABO DE POLIESTER «SUPERIOR»
POLYESTER ROPE «SUPERIOR»

Cabo de 100%. poliester de alta tenacidad. Ideal para amarre y fondeo.
Acalabrotado 3 cordones.
No flota.
3 strand rope in 100% high tenacity polyester. For anchor and mooring.
Non floating.

Ø	Ref.color Azul *Blue*	Carga rotura *Breaking load*	Bobina *Reel*
6 mm	POL1266044006	630 kgs	250 m.
8 mm	POL1266042608	1260 kgs	150 m.
10 mm	POL1266043710	1800 kgs	220 m.
12 mm	POL1266042912	2520 kgs	165 m.
14 mm	POL1266042114	3240 kgs	110 m.
16 mm	POL1266041716	4050 kgs	85 m.
18 mm	POL1266042118	5220 kgs	110 m.
20 mm	POL1266041720	6480 kgs	85 m.
22 mm	POL1166042122	7650 kgs	110 m.*
24 mm	POL1166042124	8820 kgs	110 m.*
26 mm	POL1166042126	9900 kgs	110 m.*
28 mm	POL1166042128	12510 kgs	110 m.*
32 mm	POL1166042132	15570 kgs	110 m.*

* Rollo / *Coil*

CABO DE POLIESTER «SUPERIOR»
POLYESTER ROPE «SUPERIOR»

Cabo de 100%. poliester de alta tenacidad. Ideal para amarre y fondeo.
Acalabrotado 3 cordones.
No flota.
3 strand rope in 100% high tenacity polyester. For anchor and mooring.
Non floating.

Ø	Ref.color Negro *Black*	Carga rotura *Breaking load*	Bobina *Reel*
6 mm	POL1210044006	630 kgs	250 m.
8 mm	POL1210042608	1260 kgs	150 m.
10 mm	POL1210043710	1800 kgs	220 m.
12 mm	POL1210042912	2520 kgs	165 m.
14 mm	POL1210042114	3240 kgs	110 m.
16 mm	POL1210041716	4050 kgs	85 m.
18 mm	POL1210042118	5220 kgs	110 m.
20 mm	POL1210041720	6480 kgs	85 m.
20 mm	POL1110042120	6480 kgs	110 m.*
22 mm	POL1110042122	7650 kgs	110 m.*
24 mm	POL1110042124	8820 kgs	110 m.*
26 mm	POL1110042126	9900 kgs	110 m.*
28 mm	POL1110042128	12510 kgs	110 m.*
32 mm	POL1110042132	15570 kgs	110 m.*

* Rollo / *Coil*

RECAMBIOS MARINOS S.L.

CABO DE AMARRE «DOCK Line»
MOORING ROPE «DOCK Line»

Cabo con funda externa trenzada de poliester y alma interna de poliester y nylon (polyamida). Ideal para amarre. Absorbe los tirones sin perder sus caracteristicas. No flota.
Rope with external cover in polyester and core in nylon (polyamide).The core will absorb every yank and pull without losing its properties. It sinks in water.

Ø	Ref.color Negro *Black*	Carga rotura *Breaking load*	Bobina *Reel*
15 mm	POL2810482115	4300 kgs	120 m.
19 mm	POL2810481719	7000 kgs	85 m.
24 mm	POL2810481024	12000 kgs	50 m.

CABO DE AMARRE «DOCK Line»
MOORING ROPE «DOCK Line»

Cabo con funda externa trenzada de poliester multifilamento y alma interna de nylon (poliamida). Con gaza de 40 cms. en un extremo.
Rope with external cover in polyester and core in nylon (polyamide) yarns. Fixed end and 40 cms spliced eye..

Ø	Ref.color Negro *Black*	Carga rotura *Breaking load*	Longitud *Length*
15 mm	POL3710069815	4300 kgs	10 m.
19 mm	POL3710069819	7000 kgs	10 m.
19 mm	POL3710069919	7000 kgs	15 m.
24 mm	POL3710069924	12000 kgs	15 m.

Ø	Ref.color Azul *Navy*	Carga rotura *Breaking load*	Longitud *Length*
19 mm	POL3766069919	7000 kgs	15 m.
24 mm	POL3766069924	12000 kgs	15 m.

CABO DE AMARRE «FLEX Line»
MOORING ROPE «FLEX Line»

Cabo con funda externa trenzada de poliester y alma interna de poliester y polipropileno. No flota.
Rope with external cover in polyester and core in polyester and PP. The rope is soft and durable and sinks in water.

Ø	Ref.color Negro y Blanco *Black & White*	Carga rotura *Breaking load*	Bobina *Reel*
10 mm	POL2219483710	1600 kgs	220 m.
12 mm	POL2219482912	1900 kgs	165 m.
14 mm	POL2219482114	3000 kgs	110 m.
16 mm	POL2219481716	3800 kgs	85 m.
18 mm	POL2219482118	4900 kgs	110 m.

CABO DE AMARRE «STORM »
MOORING ROPE «STORM»

Cabo de poliester superior (60%) y material elástico (40%), acalabrotado de 3 cordones. Gaza de 40 cms. con protector en un extremo.
3 strand mooring rope in polyester superior (60%) and 40% built-in shock absorber. Spliced eye with protector sleeve.

Ø	Ref.color Negro *Black*	Carga rotura *Breaking load*	Longitud *Length*
12 mm	POL3710260612	1700 kgs	6 m.
12 mm	POL3710261012	1700 kgs	10 m.
14 mm	POL3710260614	2300 kgs	6 m.
14 mm	POL3710261014	2300 kgs	10 m.
14 mm	POL3710261514	2300 kgs	15 m.
16 mm	POL3710260616	2800 kgs	6 m.
16 mm	POL3710261016	2800 kgs	10 m.
16 mm	POL3710261516	2800 kgs	15 m.

Ø	Ref.color Azul *Navy*	Carga rotura *Breaking load*	Longitud *Length*
12 mm	POL3766260612	1700 kgs	6 m.
12 mm	POL3766261012	1700 kgs	10 m.
14 mm	POL3766260614	2300 kgs	6 m.
14 mm	POL3766261014	2300 kgs	10 m.
14 mm	POL3766261514	2300 kgs	15 m.
16 mm	POL3766260616	2800 kgs	6 m.
16 mm	POL3766261016	2800 kgs	10 m.
16 mm	POL3766261516	2800 kgs	15 m.

CABO ELASTICO
SHOCK CORD

Interior de caucho natural (latex) con funda exterior de nylon blanco con divisa azul.
Inside natural rubber and polyamide (nylon) white cover with blue fleck.



Ø	Ref.color Blanco *White*	Peso por mt. *Weight per mt.*	Bobina *Reel*
3 mm	POL2209692003	9 grs.	100 m.
4 mm	POL2209692004	14 grs.	100 m.
5 mm	POL2209692005	22 grs.	100 m.
6 mm	POL2209692006	30 grs.	100 m.
8 mm	POL2209692008	50 grs.	100 m.
10 mm	POL2209692010	86 grs.	100 m.
12 mm	POL2209691012	115 grs.	50 m.
14 mm	POL2209691014	160 grs.	50 m.

Interior de caucho natural (latex) con funda exterior de nylon.
Inside natural rubber and polyamide (nylon) cover.

Ø	Ref.color Azul *Blue*	Ref.color Negro *Black*	Peso x mt. *Weight x mt.*	Bobina *Reel*
4 mm	POL2206692004	POL2210692004	14 grs	100 m.
5 mm	POL2206692005	POL2210692005	22 grs	100 m.
6 mm	POL2206692006	POL2210692006	30 grs	100 m.
8 mm	POL2206692008	POL2210692008	50 grs	100 m.

ESCOTA «CRUISING»
SHEET «CRUISING»

Cabo trenzado con alma de poliester y funda exterior de poliester de 24 cordones. Suave y flexible. Ideal para escotas, etc.
Double braided rope with polyester core and 24 strands outer cover. Soft and flexible. For sheets, etc.

Ø	Ref.color Blanco *White*	Ref.color Azul *Blue*	Carga rotura *Break load*	Bobina *Reel*
6 mm	POL2209633106	POL2206633106	560 kgs	185 m.
8 mm	POL2209632608	POL2206632608	1000 kgs	150 m.
10 mm	POL2209633710	POL2206633710	1500 kgs	220 m.
12 mm	POL2209632912	POL2206632912	2000 kgs	165 m.
14 mm	POL2209632114	POL2206632114	2500 kgs	110 m.
16 mm	POL2209631716	POL2206631716	3000 kgs	85 m.

Ø	Ref.color Rojo *Red*	Ref.color Verde *Green*	Carga rotura *Break load*	Bobina *Reel*
6 mm	POL2202633106	POL2205633106	560 kgs	185 m.
8 mm	POL2202632608	POL2205632608	1000 kgs	150 m.
10 mm	POL2202633710	POL2205633710	1500 kgs	220 m.
12 mm	POL2202632912	POL2205632912	2000 kgs	165 m.
14 mm	POL2202632114	POL2205632114	2500 kgs	110 m.
16 mm	POL2202631716	POL2205631716	3000 kgs	85 m.

CABO «PRE-STRETCHED»
ROPE «PRE-STRETCHED»

Cabo trenzado pre-estirado con alma de poliester y funda exterior de poliester de 8 cordones. Mínimo estiramiento. Ideal para drizas.
Braided, pre-stretched rope with polyester core and 8 strands outer cover. Elongation at breaking point aprox. 10% elongation.

Ø	Ref.color Blanco *White*	Carga rotura *Breaking load*	Bobina *Reel*
4 mm	POL2209263704	400 kgs	250 m.
5 mm	POL2209263705	600 kgs	250 m.
6 mm	POL2209263106	800 kgs	185 m.
8 mm	POL2209262608	1400 kgs	150 m.

PUNZON CABOS
HOLLOW SPIKE

Fabricados en acero inox con pomo de madera.
Manufactured in stainless steel with wooden handle

Ref.	Longitud *Length*	Envase *Packing*
GS60193	18 cms	1 x bolsa/*bag*
GS60194	27 cms	1 x bolsa/*bag*

ESCOTA «POLY-BRAID 16»
SHEET «POLY-BRAID 16»

Cabo trenzado pre-estirado con alma de poliester y funda exterior de poliester de 16 cordones. Suave y flexible. Facilidad para hacer gazas.
Ideal para escotas y drizas.
Double braided, pre-stretched rope with polyester core and 16 strands outer cover. Soft and flexible. Easy rope to splice. For sheets and halyards.

Ø	Ref.color Blanco *White*	Carga rotura *Breaking load*	Bobina *Reel*
6 mm	POL2209763106	800 kgs	185 m.
8 mm	POL2209762608	1500 kgs	150 m.
10 mm	POL2209763710	2100 kgs	220 m.
12 mm	POL2209762912	2700 kgs	165 m.
14 mm	POL2209762114	3800 kgs	110 m.
16 mm	POL2209761716	5000 kgs	85 m.

Ø	Ref.color Amarillo *Yellow*	Ref.color Azul *Blue*	Carga rotura *Break load*	Bobina *Reel*
6 mm	POL2204733106	POL2206733106	800 kgs	185 m.
8 mm	POL2204732608	POL2206732608	1500 kgs	150 m.
10 mm	POL2204733710	POL2206733710	2100 kgs	220 m.
12 mm	POL2204732912	POL2206732912	2700 kgs	165 m.
14 mm	POL2204732114	POL2206732114	3800 kgs	110 m.
16 mm	POL2204731716	POL2206731716	5000 kgs	85 m.

Ø	Ref.color Rojo *Red*	Ref.color Verde *Green*	Carga rotura *Break load*	Bobina *Reel*
6 mm	POL2202733106	POL2205733106	800 kgs	185 m.
8 mm	POL2202732608	POL2205732608	1500 kgs	150 m.
10 mm	POL2202733710	POL2205733710	2100 kgs	220 m.
12 mm	POL2202732912	POL2205732912	2700 kgs	165 m.
14 mm	POL2202732114	POL2205732114	3800 kgs	110 m.
16 mm	POL2202731716	POL2205731716	5000 kgs	85 m.

CORTACABOS ELECTRICO
ELECTRIC ROPE CUTTER

Para cabos sintéticos de hasta 22 mm.
Alimentación 220V 65W.
For ropes up to 22 mm.
220 V 65W.

Ref.	*Descripción / Description*	Envase/*Pack*
POL4908051600	Cortacabos / *Rope Cutter*	1 x caja/*box*
POL4908051700	Cuchilla recambio / *Spare Blade*	1 x caja/*box*

ESCOTA «POLY-BRAID 24»
SHEET «POLY-BRAID 24»

Cabo trenzado pre-estirado con alma de poliester y funda exterior de poliester de 24 cordones. Suave y flexible. Ideal para escotas, drizas y lineas de control.
Double braided, pre-stretched rope with polyester core and 24 strands outer cover. Soft and flexible. For sheets, halyards and control lines.

Ø	Ref.color Blanco *White*	Carga rotura *Breaking load*	Bobina *Reel*
6 mm	POL2209833106	850 kgs	185 m.
8 mm	POL2209832608	1500 kgs	150 m.
10 mm	POL2209833710	2000 kgs	220 m.
12 mm	POL2209832912	3000 kgs	165 m.
14 mm	POL2209832114	4200 kgs	110 m.
16 mm	POL2209831716	5500 kgs	85 m.

Ø	Ref.color Amarillo *Yellow*	Ref.color Azul *Blue*	Carga rotura *Break load*	Bobina *Reel*
6 mm	POL2204833106	POL2206833106	850 kgs	185 m.
8 mm	POL2204832608	POL2206832608	1500 kgs	150 m.
10 mm	POL2204833710	POL2206833710	2000 kgs	220 m.
12 mm	POL2204832912	POL2206832912	3000 kgs	165 m.
14 mm	POL2204832114	POL2206832114	4200 kgs	110 m.
16 mm	POL2204831716	POL2206831716	5500 kgs	85 m.

Ø	Ref.color Rojo *Red*	Ref.color Verde *Green*	Carga rotura *Break load*	Bobina *Reel*
6 mm	POL2202833106	POL2205833106	850 kgs	185 m.
8 mm	POL2202832608	POL2205832608	1500 kgs	150 m.
10 mm	POL2202833710	POL2205833710	2000 kgs	220 m.
12 mm	POL2202832912	POL2205832912	3000 kgs	165 m.
14 mm	POL2202832114	POL2205832114	4200 kgs	110 m.
16 mm	POL2202831716	POL2205831716	5500 kgs	85 m.

HILO DE COSER VELAS
POLYESTER ROPE

Hilo de poliester encerado.
Especial para coser velas.
Color blanco de 1 mm.
Se suministra en cajas de 18 bobinas
Polyester y twine specially for sails.
Colour white, 1 mm.
Suplied in boxes of 18 units.

Ref.
POL4609052410

DRIZA «POLY-BRAID 32»
HALYARD «POLY-BRAID 32»

Cabo trenzado pre-estirado con alma de poliester y funda exterior de poliester de 32 cordones. Mínimo estiramiento. Ideal para drizas.
Double braided, pre-stretched rope with polyester core and 32 strands outer cover. For sheets and halyards. A loading of 20% breaking strength will give aprox. 2% elongation.

Ø	Ref.color Negro *Black*	Ref.color Azul *Blue*	Carga rotura *Break load*	Bobina *Reel*
8 mm	POL2210812608	POL2206812608	1800 kgs	150 m.
10 mm	POL2210813710	POL2206813710	2500 kgs	220 m.
12 mm	POL2210812912	POL2206812912	3300 kgs	165 m.
14 mm	POL2210812114	POL2206812114	4300 kgs	110 m.
16 mm	POL2210811716	POL2206811716	5800 kgs	85 m.
18 mm	POL2210812118	POL2206812118	7500 kgs	110 m.
20 mm	POL2210811720	POL2206811720	8550 kgs	85 m.

Ø	Ref.color Rojo *Red*	Ref.color Verde *Green*	Carga rotura *Break load*	Bobina *Reel*
8 mm	POL2202812608	POL2205812608	1800 kgs	150 m.
10 mm	POL2202813710	POL2205813710	2500 kgs	220 m.
12 mm	POL2202812912	POL2205812912	3300 kgs	165 m.
14 mm	POL2202812114	POL2205812114	4300 kgs	110 m.
16 mm	POL2202811716	POL2205811716	5800 kgs	85 m.
18 mm	POL2202812118	POL2205812118	7500 kgs	110 m.
20 mm	POL2202811720	POL2205811720	8550 kgs	85 m.

EXPOSITOR DE CABOS
ROPES DISPLAY

Módulo expositor para cabos. Cómodo y funcional. Ideal para colocar el máximo de cabos en el mínimo espacio. Medidas: 200 x 95 x 55 cms.
MModule display for ropes. Designed for the display of the maximum ropes in the minimal space. Dimensions: 200 x 95 x 55 cms.

Ref.
POL4908051436

DRIZA «POLY-BRAID 32-Color»

HALYARD «POLY-BRAID 32-Colour»

Cabo trenzado pre-estirado con alma de poliester y funda exterior de poliester de 32 cordones. Mínimo estiramiento. Ideal para drizas.
Double braided, pre-stretched rope with polyester core and 32 strands outer cover. For sheets and halyards. A loading of 20% breaking strength will give aprox. 2% elongation.



Ø	Ref.color Azul marino *Navy*	Carga rotura *Breaking load*	Bobina *Reel*
8 mm	POL2266812608	1800 kgs	150 m.
10 mm	POL2266813710	2500 kgs	220 m.
12 mm	POL2266812912	3300 kgs	165 m.
14 mm	POL2266812114	4300 kgs	110 m.
16 mm	POL2266811716	5800 kgs	85 m.
18 mm	POL2266812118	7500 kgs	110 m.
20 mm	POL2266811720	8550 kgs	85 m.

Ø	Ref.color Amarillo *Yellow*	Ref.color Azul *Blue*	Carga rotura *Break load*	Bobina *Reel*
8 mm	POL2249812608	POL2269812608	1800 kgs	150 m.
10 mm	POL2249813710	POL2269813710	2500 kgs	220 m.
12 mm	POL2249812912	POL2269812912	3300 kgs	165 m.
14 mm	POL2249812114	POL2269812114	4300 kgs	110 m.
16 mm	POL2249811716	POL2269811716	5800 kgs	85 m.
18 mm	POL2249812118	POL2269812118	7500 kgs	110 m.
20 mm	POL2249811720	POL2269811720	8550 kgs	85 m.

Ø	Ref.color Rojo *Red*	Ref.color Verde *Green*	Carga rotura *Break load*	Bobina *Reel*
8 mm	POL2229812608	POL2259812608	1800 kgs	150 m.
10 mm	POL2229813710	POL2259813710	2500 kgs	220 m.
12 mm	POL2229812912	POL2259812912	3300 kgs	165 m.
14 mm	POL2229812114	POL2259812114	4300 kgs	110 m.
16 mm	POL2229811716	POL2259811716	5800 kgs	85 m.
18 mm	POL2229812118	POL2259812118	7500 kgs	110 m.
20 mm	POL2229811720	POL2259811720	8550 kgs	85 m.

CABO «RACING 2002 E-R»

ROPE «RACING 2002 E-R»

Cabo trenzado con alma Dyneema SK-75 y funda exterior de poliester de 16 cordones. Ideal para cabos de trimado en vela ligera.
Braided, rope with central core of Dyneema SK-75 and outer braid of durable polyester. *Trim lines for dinghy and one design sailors.*

Ø	Ref.color Azul / Blanco *Blue / White*	Carga rotura *Breaking load*	Bobina *Reel*
3 mm	POL2269912030	400 kgs	100 m.
4 mm	POL2269912040	740 kgs	100 m.
5 mm	POL2269912050	1200 kgs	100 m.
6 mm	POL2269912060	1700 kgs	100 m.

Ø	Ref.color Azul / Rojo *Blue / Red*	Ref.color Amarillo/Azul *Yellow / Blue*	Carga rotura *Break load*	Bobina *Reel*
3 mm	POL2262912030	POL2246912030	400 kgs	100 m.
4 mm	POL2262912040	POL2246912040	740 kgs	100 m.
5 mm	POL2262912050	POL2246912050	1200 kgs	100 m.
6 mm	POL2262912060	POL2246912060	1700 kgs	100 m.

Ø	Ref.color Rojo / Amarillo *Red / Yellow*	Ref.color Rojo / Blanco *Blue / White*	Carga rotura *Break load*	Bobina *Reel*
3 mm	POL2224912030	POL2229912030	400 kgs	100 m.
4 mm	POL2224912040	POL2229912040	740 kgs	100 m.
5 mm	POL2224912050	POL2229912050	1200 kgs	100 m.
6 mm	POL2224912060	POL2229912060	1700 kgs	100 m.
8 mm	POL2224912608	_	2000 kgs	150 m.

RECAMBIOS MARINOS S.L.

CABO «RACING 2002»
ROPE «RACING 2002»

Cabo trenzado de 3 capas. Alma pre-estirada de 100% Dyneema SK-75, capa media de poliester y funda exterior de poliester de 16 cordones. Ideal para escotas y drizas. Funciona perfectamente en mordazas.
Braided, rope with central core of pre-stretched polyurethane -coated Dyneema SK-75, over-braided with spun yarn and outer braid of durable polyester. *For sheets and halyards. Works perfectly in the cleats.*

Ø	Ref.color Azul / Blanco *Blue / White*	Carga rotura *Breaking load*	Bobina *Reel*
8 mm	POL2269912608	2000 kgs	150 m.
10 mm	POL2269912110	3300 kgs	110 m.



Ø	Ref.color Azul / Rojo *Blue / Red*	Ref.color Azul / Amarillo *Blue/ Yellow*	Carga rotura *Break load*	Bobina *Reel*
8 mm	POL2262912608	POL2264912608	2000 kgs	150 m.
10 mm	POL2262912110	POL2264912110	3300 kgs	110 m.
12 mm	POL2262910012	POL2264910012	5100 kgs	100 m.
14 mm	POL2262910014	POL2264910014	7100 kgs	100 m.
16 mm	POL2262910016	POL2264910016	8900 kgs	100 m.

CABO «RACING 4004»
ROPE «RACING 4004»

Cabo trenzado con alma pre-estirada de 100% Dyneema SK-75 recubierta de poliurethano y funda exterior de poliester de 12 cordones. Ideal para drizas donde previamente se utilizaba el cable de acero y backstays.
Braided, rope with central core of pre-stretched polyurethane -coated 100% Dyneema SK-75 and outer braid of hardwearing polyester. *For use mainly halyards where wire has been previously used, and backstays.*

Ø	Ref.color Gris / Rojo *Grey / Red*	Ref.color Gris / Negro *Grey / Black*	Carga rotura *Break load*	Bobina *Reel*
3 mm	POL2282952003	POL2281952003	400 kgs	100 m.
4 mm	POL2282952004	POL2281952004	740 kgs	100 m.
5 mm	POL2282952005	POL2281952005	1250 kgs	100 m.
6 mm	POL2282952006	POL2281952006	1700 kgs	100 m.
7 mm	POL2282952007	POL2281952007	2400 kgs	100 m.
8 mm	POL2282952008	POL2281952008	3100 kgs	100 m.
10 mm	POL2282952010	POL2281952010	4750 kgs	100 m.
12 mm	POL2282950012	POL2281950012	6800 kgs	100 m.
14 mm	POL2282950014	POL2281950014	8700 kgs	100 m.
16 mm	POL2282950016	POL2281950016	11500 kgs	100 m.
18 mm	POL2282950018	POL2281950018	15100 kgs	100 m.
20 mm	POL2282950020	POL2281950020	17300 kgs	100 m.
22 mm	POL2282950022	POL2281950022	19200 kgs	100 m.

CABO «RACING 3003»
ROPE «RACING 3003»

Cabo trenzado de 3 capas. Alma pre-estirada de 100% Dyneema SK-75, recubierta de poliurethano, capa media de poliester y funda exterior de poliester de 16 cordones. Ideal para escotas y drizas.
Funciona perfectamente en mordazas.
Braided, rope with central core of pre-stretched polyurethane -coated Dyneema SK-75, over-braided with spun yarn and outer braid of durable polyester. *For sheets and halyards. Works perfectly in the cleats.*

Ø	Ref.color Azul *Blue*	Ref.color Amarillo *Yellow*	Carga rotura *Break load*	Bobina *Reel*
6 mm	POL2066973106	POL2004973106	2000 kgs	185 m.
8 mm	POL2066972608	POL2004972608	2000 kgs	150 m.
10 mm	POL2066972110	POL2004972110	3300 kgs	110 m.
12 mm	POL2066971712	POL2004971712	5100 kgs	85 m.
14 mm	POL2066970014	POL2004970014	7100 kgs	m.
16 mm	POL2066970016	POL2004970016	8900 kgs	m.
18 mm	POL2066970018	POL2004970018	8900 kgs	m.

Ø	Ref.color Rojo *Red*	Ref.color Verde *Green*	Carga rotura *Break load*	Bobina *Reel*
6 mm	POL2002973106	POL2005973106	2000 kgs	185 m.
8 mm	POL2002972608	POL2005972608	2000 kgs	150 m.
10 mm	POL2002972110	POL2005972110	3300 kgs	110 m.
12 mm	POL2002971712	POL2005971712	5100 kgs	85 m.
14 mm	POL2002970014	POL2005970014	7100 kgs	m.
16 mm	POL2002970016	POL2005970016	8900 kgs	m.
18 mm	POL2002970018	POL2005970018	8900 kgs	m.

CABO «RACING 8008»
ROPE «RACING 8008»

Cabo trenzado con alma super pre-estirada de 100% Dyneema SK-75 recubierta de poliurethano y funda exterior de poliester de 12 cordones. Ideal para drizas donde previamente se utilizaba el cable de acero y backstays.
Braided, rope with central core of pre-stretched polyurethane -coated 100% Dyneema SK-75 and outer braid of hardwearing polyester. *For use mainly halyards where wire has been previously used, and backstays.*

Ø	Ref.color Rojo *Red*	Ref.color Azul *Blue*	Carga rotura *Break load*	Bobina *Reel*
8 mm	POL2202852008	POL2266852008	3100 kgs	m.
10 mm	POL2202852010	POL2266852010	4750 kgs	m.
12 mm	POL2202852012	POL2266852012	6800 kgs	m.

CABO «DYNEX 75»
ROPE «DYNEX 75»

Cabo trenzado pre-estirado de 100% Dyneema recubierta de poliuretano. Minimo estiramiento. Flota.
Braided, pre-stretched polyurethane-coated 100% Dyneema. *Easy to splice. Low elongation. Floats in water.*

Ø	Ref.color Gris *Grey*	Peso *Weight*	Carga rotura *Breaking load*	Bobina *Reel*
3 mm	POL2008950003	9 grs.	1100 kgs.	100 m.
4 mm	POL2008950004	11 grs.	2000 kgs.	100 m.
5 mm	POL2008950005	16 grs.	2900 kgs.	100 m.
6 mm	POL2008950006	23 grs.	4200 kgs.	100 m.
8 mm	POL2008950008	38 grs.	6700 kgs.	100 m.
10 mm	POL2008950010	61 grs.	10700 kgs.	100 m.
12 mm	POL2008950012	93 grs.	16400 kgs.	1 m.
14 mm	POL2008950014	125 grs.	21800 kgs.	1 m.
16 mm	POL2008950016	160 grs.	27400 kgs.	1 m.
18 mm	POL2008950018	207 grs.	35000 kgs.	1 m.
20 mm	POL2008950020	252 grs.	40000 kgs.	1 m.
22 mm	POL2008950022	305 grs.	47000 kgs.	1 m.
24 mm	POL2008950024	356 grs.	57800 kgs.	1 m.

MEDIDOR DE CABOS
COUNTMETER FOR ROPES

Cuentametros para cabos de cualquier diámetro.
Con puesta a cero.
Countmeter for ropes of any diameter. Zero setting each time.

Ref.
GS60198

GOLDENSHIP

CABO «RACING D100»
ROPE «RACING D100»

Cabo trenzado pre-estirado de 12 cordones de 100% Dyneema SK-75 recubierta de poliurethano. Ideal para vela ligera. Minimo estiramiento.
Braided, 12 strand of pre-stretched polyurethane-coated 100% Dyneema SK-75. *Dinghy sailor's favourite. A loading of 20% breaking strength will give aprox. 2% elongation.*

Ø	Ref.color Azul *Blue*	Ref.color Amarillo *Yellow*	Carga rotura *Break load*	Bobina *Reel*
3 mm	POL2206962003	POL2204962003	800 kgs	100 m.
4 mm	POL2206962004	POL2204962004	1200 kgs	100 m.
5 mm	POL2206962005	POL2204962005	2300 kgs	100 m.
6 mm	POL2206962006	POL2204962006	2900 kgs	100 m.
8 mm	POL2206962008	POL2204962008	5300 kgs	100 m.
10 mm	POL2206960010	POL2204960010	8500 kgs	100 m.

Ø	Ref.color Rojo *Red*	Ref.color Verde *Green*	Carga rotura *Break load*	Bobina *Reel*
3 mm	POL2202962003	POL2205962003	800 kgs	100 m.
4 mm	POL2202962004	POL2205962004	1200 kgs	100 m.
5 mm	POL2202962005	POL2205962005	2300 kgs	100 m.
6 mm	POL2202962006	POL2205962006	2900 kgs	100 m.
8 mm	POL2202962008	POL2205962008	5300 kgs	100 m.
10 mm	POL2202960010	POL2205960010	8500 kgs	100 m.

CABO DE POLIESTER
POLYESTER ROPE

Cabo trenzado de poliester de 8 cordones.
No flota.
Braided, polyester rope 8 strands.
Sinks in water.

Ø	Ref.color Blanco *White*	Carga rotura *Breaking load*	Bobina *Reel*
1,4mm	POL2209045014	35 kgs	500 m.
2 mm	POL2209045020	96 kgs	500 m.
3 mm	POL2209043328	184 kgs	200 m.
4 mm	POL2209043340	405 kgs	200 m.
5 mm	POL2209043350	520 kgs	200 m.
6 mm	POL2209043360	695 kgs	200 m.
8 mm	POL2209042080	1700 kgs	100 m.

RECAMBIOS MARINOS S.L.

CABO «TRIM DINGHY-XL»
ROPE «TRIM DINGHY-XL»

Cabo trenzado de poliester de16 cordones. Poco estiramiento. Ideal para control y trimado en vela ligera.
Thermofixed 16 plait braided rope in polyester. Low stretch for control and trim lines in dinghies.

Ø	Ref.color Azul *Blue*	Ref.color Amarillo *Yellow*	Carga rotura *Break load*	Bobina *Reel*
3 mm	POL2206282030	POL2204282030	160 kgs	100 m.
4 mm	POL2206282040	POL2204282040	360 kgs	100 m.
5 mm	POL2206282050	POL2204282050	440 kgs	100 m.
6 mm	POL2206282060	POL2204282060	580 kgs	100 m.

Ø	Ref.color Rojo Red	Ref.color Verde *Green*	Carga rotura *Break load*	Bobina *Reel*
3 mm	POL2202282030	POL2205282030	160 kgs	100 m.
4 mm	POL2202282040	POL2205282040	360 kgs	100 m.
5 mm	POL2202282050	POL2205282050	440 kgs	100 m.
6 mm	POL2202282060	POL2205282060	580 kgs	100 m.

CABO «TRIM DINGHY-XL»
ROPE «TRIM DINGHY-XL»

Cabo trenzado de poliester de16 cordones. Poco estiramiento. Ideal para control y trimado en vela ligera. Se suministra en cajas de 6 bobinas.
Thermofixed 16 plait braided rope in polyester. Low stretch for control and trim lines in dinghies. Supplied in box of 6 spool.

Ø	Ref.color Azul *Blue*	Ref.color Amarillo *Yellow*	Carga rotura *Break load*	Bobina *Reel*
3 mm	POL2206280530	POL2204280530	160 kgs	6 x 20m
4 mm	POL2206280240	POL2204280240	360 kgs	6 x 11m

Ø	Ref.color Rojo *Red*	Ref.color Verde *Green*	Carga rotura *Break load*	Bobina *Reel*
3 mm	POL2202280530	POL2205280530	160 kgs	6 x 20m
4 mm	POL2202280240	POL2205280240	360 kgs	6 x 11m

CINCHAS POLIPROPILENO
POLYPROPILENE STRAPS

Caja expositor con cinchas de polipropileno de 25 mm. de ancho, con cierre de acero. 9 unidades de cada color. (45 unidades).
Display box with 45 polypropylene tie-down straps.Wide 25 mm. with metal stopper.

Ref.
POL3000040006

CABO DE POLIETILENO
POLYETENE ROPE

Cabo trenzado de polietileno. Ligero y suave. Fácil para hacer gazas. Flota.
Special loosely brauded. Light and smooth, easily apliced.Floats in water.

Ø	Ref.color Naranja *Orange*	Ref.color Amarillo *Yellow*	Carga rotura *Break load*	Bobina *Reel*
6 mm	POL2203135406	POL2204134006	290 kgs	250 m.
8 mm	POL2203134408	POL2204132608	410 kgs	150 m.
10 mm	POL2203133510	POL2204132110	670 kgs	100 m.

CABO POLIESTER
POLYESTER ROPE

Cabo trenzado de poliester de 8 cordones.
Fuerte y suave al tacto. Fácil para gazas.
Se suministra en cajas de 6 bobinas.
Strong and smooth 8 plait rope in polyester.
Easy to splice.
Supplied in box of 6 spool.

Ø	Ref.color Negro *Black*	Ref.color Azul *Blue*	Carga rotura *Break load*	Bobina *Reel*
2 mm	POL2210041020	POL2206041020	160 kgs	6 x 50m
3 mm	POL2210040530	POL2206040530	360 kgs	6 x 25m
4 mm	POL2210040240	POL2206040240	360 kgs	6 x 12m

Ø	Ref.color Rojo *Red*	Ref.color Amarillo *Yellow*	Carga rotura *Break load*	Bobina *Reel*
2 mm	POL2202041020	POL2204041020	160 kgs	6 x 50m
3 mm	POL2202040530	POL2204040530	360 kgs	6 x 25m
4 mm	POL2202040240	POL2204040240	360 kgs	6 x 12m

Ø	Ref.color Naranja *Orange*	Ref.color Azul Navy *Navy*	Carga rotura *Break load*	Bobina *Reel*
2 mm	POL2203041020	POL2266041020	160 kgs	6 x 50m
3 mm	POL2203040530	POL2266040530	360 kgs	6 x 25m
4 mm	POL2203040240	POL2266040240	360 kgs	6 x 12m

CINCHAS POLIPROPILENO
POLYPROPYLENE STRAPS

Cinchas de polipropileno de 25 mm. de ancho, con cierre metálico.
Polypropylene tie-down straps. Wide 25 m. with metal stopper.

Ref.	Longitud *Length*	Color *Colour*	Envase *Pack*
POL4609081025	1,- mts.	Blanco / *White*	bolsa / *bag*
POL4605081525	1,5 mts.	Verde / *Green*	bolsa / *bag*
POL4606082025	2,- mts.	Azul / *Blue*	bolsa / *bag*
POL4610082525	2,5 mts.	Negro / *Black*	bolsa / *bag*
POL4602083525	3,5 mts.	Rojo / *Red*	bolsa / *bag*

EXPOSITOR DE CABOS «IBIZA»
ROPE DISPLAY «IBIZA»

Expositor de carretes de cabos de poliester de alta resistencia en colores vivos.
Contiene 24 carretes variados.
Bank rack assorted with 24 reels of braided ropes in colored polyester.

Ref.
GS60150

CARRETES «IBIZA»
ROPE REELS «IBIZA»

Ref.	Ø	Color *Color*	Resist. *Break.L.*	Bobina *Reel*
GS60151	2,5 mm.	Amarillo	130 daN	22 m.
GS60152	4 mm.	Amarillo	250 daN	13 m.
GS60154	2,5 mm.	Verde	130 daN	22 m.
GS60155	3 mm.	Verde	140 daN	20 m.
GS60157	2,5 mm.	Rojo	130 daN	22 m.
GS60158	3 mm.	Rojo	140 daN	20 m.
GS60159	4 mm.	Rojo	250 daN	13 m.
GS60160	3 mm.	Azul	140 daN	20 m.
GS60161	4 mm.	Azul	250 daN	13 m.

CABO MULTIUSO
NYLON ROPE

GOLDENSHIP

Cabo de nylon multifilamento.
Trenzado, con alma interior.
Nylon braided rope. High resistence. White color.

Ref.	Ø	Rotura *Break.L.*	Bobina *Reel*
GS60060	3 mm	210 daN	200 m.
GS60061	4 mm	350 daN	200 m.
GS60062	5 mm	500 daN	200 m.
GS60063	6 mm	600 daN	200 m.

CABO DE ARRANQUE
STARTER ROPE

Cabo de nylon trenzado para arranque de motores fueraborda.
Color blanco.
Nylon spare rope to start outbouard engines. White color.

GOLDENSHIP

Ref.	Ø	Rotura *Break.L.*	Bobina *Reel*
GS60050	3,5 mm	350 daN	100 m.
GS60051	4 mm	450 daN	100 m.
GS60052	5 mm	550 daN	100 m.

CABO FONDEO
ANCHOR ROPE

Cabo de poliester multifilamento, con gaza, guardacabos de nylon, grillete galvanizado y 1,5 m. de cadena galvanizada.
Acalabrotado 3 cordones.
No flota. Color blanco.
3 strand rope of 100% polyester, with nylon thimble, galvanized shackle and 1,5m galvanized chain.
Non floating.
White color.

GOLDENSHIP

Ref.	Ø	Longitud *Lenght*	Envase *Packing*
GS60040	8 mm	30 m.	1 x bolsa/*bag*
GS60041	8 mm	50 m.	1 x bolsa/*bag*
GS60042	10 mm	30 m.	1 x bolsa/*bag*
GS60043	10 mm	50 m.	1 x bolsa/*bag*
GS60045	12 mm	30 m.	1 x bolsa/*bag*
GS60044	12 mm	50 m.	1 x bolsa/*bag*

CABO ELASTICO
SHOCK CORD

Interior de caucho con funda exterior de poliester, con divisa azul.
Inside rubber and polyester cover with blue fleck.

GOLDENSHIP

Ref.	Ø	Longitud *Length*
GS60100	3 mm	100 m
GS60101	4 mm	100 m.
GS60102	5 mm	100 m.
GS60103	6 mm	100 m.
GS60104	8 mm	100 m.
GS60105	10 mm	100 m.

MORDAZA DE CABOS
ROPE CLAMPS

Mordaza para cabos.
Para facilitar el tedioso trabajo de hacer gazas en los cabos de amarre y defensas. Fabricado en material composite resistente a los rayos UV. Color blanco.
For syntetic ropes. Composite polyammide with flush mounting S.S. screws. Durable and reusable.



GOLDENSHIP

Ref. *Ref.*	Para cabos de: *For ropes of:*	Envase *Packing*
GS62050	5/6 mm.	2 x skinpack
GS62051	6/8 mm.	2 x skinpack
GS62052	8/10 mm.	2 x skinpack
GS62053	10/12 mm.	1 x skinpack
GS62054	12/14 mm.	1 x skinpack

RECAMBIOS MARINOS S.L.

GANCHO NYLON
NYLON HOOK

Fabricados en nylon negro ó blanco.
Manufactured in black or white nylon.

GOLDENSHIP

Ref.	Para elástico de: *For shock cords of:*	Color *Color*	Envase *Packing*
GS60118	5-6 mm.	Negro / *Black*	2 x skinpack
GS60119	8 mm.	Negro / *Black*	2 x skinpack
GS60133	5-6 mm.	Blanco / *White*	2 x skinpack
GS60134	8 mm.	Blanco / *White*	2 x skinpack

SUJETACABLES
WIRE ROPE CLAMP



GOLDENSHIP

Fabricado en acero inox. AISI-316.
Made of stainless steel AISI-316.

Cable *Wire* Ø	Dimensiones *Dimensions* D1	A - H - L	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
2 mm.	M3	13-10-18mm.	GS71170	2 x	GS71170B	25 x
3 mm.	M4	16-11-23mm.	GS71171	2 x	GS71171B	25 x
4 mm.	M4	19-13-25mm.	GS71172	2 x	GS71172B	25 x
5 mm.	M5	23-14-32mm.	GS71173	2 x	GS71173B	25 x
6 mm.	M6	27-17-35mm.	GS71174	2 x	GS71174B	25 x
8 mm.	M8	34-20-40mm.	GS71175	1 x	GS71175B	25 x
10 mm.	M10	42-25-51mm.	GS71176	1 x	GS71176B	15 x
12 mm.	M12	50-28-61mm.	GS71177	1 x	GS71177B	15 x

CASQUILLO DE COBRE
COOPER SLEEVE



GOLDENSHIP

Dimensiones en mm./*Measures in mm.*

Dimensiones *Dimensions* Ø C	Ø F	L	Peso *Weight*	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
2	4	9.5	1.5 grs.	GS71184	10 x	GS71184B	50 x
2.5	5	10	2.5 grs.	GS71185	10 x	GS71185B	50 x
3	6	10.5	4 grs.	GS71186	6 x	GS71186B	50 x
4	8.5	14	7 grs.	GS71187	6 x	GS71187B	50 x
5	10	18	16 grs.	GS71188	4 x	GS71188B	25 x
6	11.5	22	20 grs.	GS71189	4 x	GS71189B	25 x
8	16	28	54 grs.	GS71190	2 x	GS71190B	15 x
10	18	18	32.5grs.	GS71191	2 x	GS71191B	10 x

TERMINAL AUTOBLOCANTE
GRIP CLEAT TERMINAL

GOLDENSHIP

Fabricados en nylon.
Manufactured in nylon.

Ref.	Para cabo de: *For ropes of:*	Rotura *Break. L.*	Envase *Packing*
GS60245	6 mm.	600 daN	1 x skinpack
GS60246	8 mm	700 daN	1 x skinpack
GS60247	10 mm.	850 daN	1 x skinpack
GS60248	12 mm.	950 daN	1 x skinpack

GUARDACABOS INOX
S.S. THIMBLES



GOLDENSHIP

Fabricado en acero inox.
Made of stainless steel.

Cable *Wire* Ø	Dimensiones *Dimensions* A	B - L - S	Ref. *Ref.*	Bolsa *Bag*	Ref. *Ref.*	Bolsa *Bag*
2 mm.	2	7-12-1 mm.	GS71150	4 x	GS71150B	25 x
3 mm.	3	10-17-1 mm.	GS71151	4 x	GS71151B	25 x
4 mm.	4	11-18-1 mm.	GS71152	4 x	GS71152B	25 x
5 mm.	5,6	13-20-1,2 mm.	GS71153	2 x	GS71153B	25 x
6 mm.	6,5	15-26-1,2 mm.	GS71154	2 x	GS71154B	25 x
8 mm.	9	18-33-1,5 mm.	GS71155	1 x	GS71155B	25 x
10 mm.	11	23-43-2 mm.	GS71156	1 x	GS71156B	25 x
12 mm.	14	27-48-2 mm.	GS71157	1 x	GS71157B	15 x
14 mm.	15	34-53-2,5 mm.	GS71158	1 x	GS71158B	15 x
16 mm.	17	38-57-3 mm.	GS71159	1 x	GS71159B	15 x
18 mm.	19	40-67-3 mm.	GS71160	1 x	GS71160B	15 x
20 mm.	22	45-75-4 mm.	GS71161	1 x	GS71161B	15 x
22 mm.	24	52-84-4 mm.	GS71162	1 x	GS71162B	15 x
24 mm.	26	56-96-5 mm.	GS71163	1 x	GS71163B	10 x
28 mm.	30	65-110-6 mm.	GS71164	1 x	GS71164B	10 x
32 mm.	34	82-110-6 mm.	GS71165	1 x	GS71165B	10 x
36 mm.	40	94-140-6 mm.	GS71166	1 x	GS71166B	10 x

GUARDACABOS GALVANIZADOS
GALVANIZED THIMBLES

Fabricados en acero galvanizado.
Made of galvanized steel.

GOLDENSHIP

Ref.	Cabo/Cable *Rope/Wire*	Longitud Int. *Ins.length*	Envase *Packing*
GS71270	6 mm	23 mm	2 x bolsa
GS71271	8 mm	29 mm	2 x bolsa
GS71272	10 mm	37 mm	1 x bolsa
GS71273	12 mm	50 mm	1 x bolsa
GS71274	14 mm	54 mm	1 x bolsa
GS71275	16 mm	64 mm	1 x bolsa
GS71276	18 mm	70 mm	1 x bolsa
GS71277	20 mm	75 mm	1 x bolsa
GS71278	22 mm	79 mm	1 x bolsa
GS71279	24 mm	95 mm	1 x bolsa
GS71280	26 mm	xx mm	1 x bolsa
GS71281	28 mm	xx mm	1 x bolsa
GS71282	30 mm	xx mm	1 x bolsa

RECAMBIOS MARINOS S.L.