

A 9.9~20 Horsepower (14 Tooth Spline & Thru Hub Exhaust)

9.9 HP 1984 ~ newer
15 HP, 18HP..... 1985 ~ newer
20 HP (4 stroke)..... 2007 ~newer

9.9 HP (4 stroke)..... 2000 ~ newer
15 HP (4 stroke)..... 2000 ~newer
Mercury 20 HP (4 stroke) 2007~newer

12 HP 1985 ~ 1988
18 HP (4 stroke)..... 2001 ~ 2008
MFS9.9,15,18(4 Stroke); NSF 9.9,15,18

Stainless steel 3 blade

SATURN Rubber Hub

B	D	P	R	PART NO.
3	9 1/4	7	R	5121-093-07
3	9 1/4	8	R	5121-093-08
3	9 1/4	9	R	5121-093-09
3	9 1/4	10	R	5121-093-10
3	9 1/4	11	R	5121-093-11



SATURN

General Purpose Propeller

- * Three-blade stainless steel propeller
- * All-around general purpose performance
- * A more durable replacement for aluminum propeller with better efficiency

	Thrust Washer (1/each)	Spacer (1/each)	Washer (2/each)	Nut (1/each)	Cotter Pin (4/each)
A	TATW	O.E.M Style Part	TAWW	TANT	Apin(1.58")

* Required hardware to install propeller that SOLAS makes in hub A series propeller.

B 25~30 Horsepower (10 Tooth Spline & Thru Hub Exhaust)

25 HP 86 ~ 01
30 HP 85 ~ 01
MFS 25, 30 (4 stroke)

25 HP (4-Stroke) 02 ~
30 HP (4 Stroke) 02 ~
NSF 25,30

Stainless steel 3 blade

SATURN Rubber Hub

B	D	P	R	PART NO.
3	10	8	R	5221-100-08
3	10	9	R	5221-100-09
3	10	10	R	5221-100-10
3	10	11	R	5221-100-11
3	10	12	R	5221-100-12
3	10	13	R	5221-100-13

Stainless steel 4 blade

NEW SATURN Rubber Hub

B	D	P	R	PART NO.
4	10	9	R	5233-100-09
4	10	10	R	5233-100-10



5233-100-09

NEW SATURN

All-around Performance Propeller

- * Three-blade stainless steel propeller
- * Offers good acceleration & all-around performance
- * Smaller pitch sizes offered in extra large diameter with increased blade area
- * Large ear design is ideal for pontoons, commercial hulls, and heavy loads

	Thrust Washer (1/each)	Spacer (1/each)	Washer (2/each)	Nut (1/each)	Cotter Pin (4/each)
B	TBTW	O.E.M Style Part	O.E.M Style Part	TBNT	Apin(1.18")

* Required hardware to install propeller that SOLAS makes in hub B series propeller.

Overall Performance

* Check with engine manufacture for complete prop hardware listings. SOLAS does not make all hardware required for all motors made.

2.5,3.3HP (Plastic Propeller)

B	D	P	R	PART NO.
3	7 1/4	6	R	0001-073-06-P

0001-073-06-P



5 Horsepower (Thru Hub Exhaust)

4~6 HP MFS4, MFS5, MFS6(4-stroke) 5HPM5B(2-stroke)

Aluminum 3 blade

AMITA 3 Rubber Hub

B	D	P	R	PART NO.
3	7.8	7	R	5011-078-07
3	7.8	8	R	5011-078-08
3	7.8	9	R	5011-078-09

T5
5011-078-07



8~9.8 Horsepower (12 Tooth Spline & Thru Hub Exhaust)

8 HP

9.8 HP.....

MFS 8, 9.8 (4 stroke) ; NSF 8, 9.8

Aluminum 3 blade

AMITA 3 Rubber Hub

B	D	P	R	PART NO.
3	8.5	7	R	5011-085-07
3	8.5	8	R	5011-085-08
3	8.5	9	R	5011-085-09



For heavy boat ; high thrust

AMITA 4 Rubber Hub

B	D	P	R	PART NO.
4	8.7	5	R	5013-087-05

9.9~20 Horsepower (14 Tooth Spline & Thru Hub Exhaust)

9.9 HP 1984 ~ newer
15 HP, 18HP..... 1985 ~ newer
20 HP (4 stroke)..... 2007 ~newer

9.9 HP (4 stroke)..... 2000 ~ newer
15 HP (4 stroke)..... 2000 ~newer
Mercury 20 HP (4 stroke) 2007~newer

12 HP 1985 ~ 1988
18 HP (4 stroke)..... 2001 ~ 2008
MFS9.9,15,18(4 Stroke); NSF 9.9,15,18

Aluminum 3 blade

AMITA 3 Rubber Hub

B	D	P	R	PART NO.
3	9.25	7	R	5111-093-07
3	9.25	8	R	5111-093-08
3	9.25	9	R	5111-093-09
3	9.25	10	R	5111-093-10
3	9.25	11	R	5111-093-11

Aluminum 4 blade


AMITA 4 Rubber Hub

B	D	P	R	PART NO.
4	9.25	7	R	5113-093-07
4	9.25	8	R	5113-093-08
4	9.25	9	R	5113-093-09
4	9.25	10	R	5113-093-10
4	9.25	11	R	5113-093-11

For heavy boat ; high thrust

AMITA 4 Rubber Hub

B	D	P	R	PART NO.
4	10	5	R	5113-100-05
4	10	7	R	5113-100-07



* Required hardware to install propeller that SOLAS makes in hub A series propeller.

25~30 Horsepower (10 Tooth Spline & Thru Hub Exhaust)

25 HP 86 ~ 01
30 HP 85 ~ 01
MFS 25, 30 (4 stroke)

25 HP (4- Stroke)02 ~
30 HP (4 Stroke)02 ~
NSF 25,30

Aluminum 3 blade

AMITA 3 Rubber Hub

B	D	P	R	PART NO.
3	9.9	9	R	5211-099-09
3	9.9	10	R	5211-099-10
3	9.9	11	R	5211-099-11
3	9.9	12	R	5211-099-12
3	9.9	13	R	5211-099-13

Aluminum 4 blade


AMITA 4 Rubber Hub

B	D	P	R	PART NO.
4	10.2	11	R	5213-102-11
4	10.1	12	R	5213-101-12
4	10	13	R	5213-100-13
4	10	14	R	5213-100-14
4	10	15	R	5213-100-15



AMITA 4

- * Four blade aluminum propeller
- * Exclusive Solas squeeze casting process
- * Wide blade design specifically for 4-stroke engines
- * Increased static thrust for heavy loads & maneuverability
- * Great stern lift and mid-range performance



* Required hardware to install propeller that SOLAS makes in hub B series propeller.

* Check with engine manufacture for complete prop hardware listings. SOLAS does not make all hardware required for all motors made.

C 35~55 Horsepower (13 Tooth Spline & Thru Hub Exhaust)

35 HP ~ 84 55 HP 81 ~ 88
 40 HP 84 ~ MD 40, 50 TLDI
 50 HP 87 ~ NSD 40, 50 TLDI

Stainless steel 3 blade

NEW SATURN Rubber Hub

B	D	P	R	PART NO.
3	12	8	R	5331-120-08
3	12	9	R	5331-120-09
3	11 7/8	10	R	5331-119-10
3	11 5/8	11	R	5331-116-11
3	11 3/8	12	R	5331-114-12
3	11 1/8	13	R	5331-111-13
3	11 1/8	14	R	5331-111-14
3	11	15	R	5331-110-15



NEW SATURN
All-around Performance Propeller

	Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Center Pin (4pack)
	TCTW			TCNT	CPin(1 1/2")
c		O.E.M Style Part	O.E.M Style Part		

* Required hardware to install propeller that SOLAS makes in hub C series propeller.

D 60~140 Horsepower (15 Tooth Spline & Thru Hub Exhaust)

60 HP 99 ~ 90 HP 87 ~ 120 HP 86 ~
 70 HP 99 ~ 115 HP 140 HP 88 ~
 MD 70, 90,115 TLDI NSD 70, 90,115 TLDI

Stainless steel 3 blade

NEW SATURN Rubber Hub

B	D	P	R	PART NO.
3	14	11	R	3431-140-11
3	13 3/4	13	R	3431-138-13
3	13 1/2	15	R	3431-135-15
3	13 1/4	17	R	3431-133-17
3	13	19	R	3431-130-19
3	13	21	R	3431-130-21

Stainless steel 3 blade

TITAN Rubber Hub

B	D	P	R	PART NO.
3	13 3/4	13	R	3441-138-13
3	13 3/4	15	R	3441-138-15
3	13 1/4	17	R	3441-133-17
3	13 1/4	19	R	3441-133-19

Stainless steel 4 blade

HR TITAN 4 Rubber Hub

B	D	P	R	PART NO.
4	13 1/2	13	R	3453-135-13
4	13 1/4	15	R	3453-133-15
4	13	17	R	3453-130-17
4	13	19	R	3453-130-19
4	13	21	R	3453-130-21

	Thrust Washer (1pack)	Spacer (1pack)	Washer (2pack)	Nut (1pack)	Center Pin (4pack)
	TDTW	YOSP	TOWS	TCNT	CPin(1 1/2")
D					

TD-RBKT
* Required hardware to install propeller that SOLAS makes in hub D series propeller.

**** When replacing the O/E interchangeable hub propeller, you will need SOLAS TD- RBKT for proper installation.**




NEW SATURN
All-around Performance Propeller

- * Three-blade stainless steel propeller
- * Offers good acceleration & all-around performance
- * Smaller pitch sizes offered in extra large diameter with increased blade area
- * Large ear design is ideal for pontoons, commercial hulls, and heavy loads



TITAN
High Power Applications

- * Three-blade stainless steel propeller
- * High camber blade and large blade area design
- * Great load carrying capability
- * Excellent fuel economy



HR TITAN 4
Excellent Cruising Performance

- * Four blade stainless steel propeller
- * Provides great stern lift and acceleration
- * High rake blade with large cupping design
- * Delivers powerful thrust and very smooth performance
- * Increased speed and fuel economy in the engine's mid-range
- * Excellent cruising performance

*** Check with engine manufacture for complete prop hardware listings. SOLAS does not make all hardware required for all motors made.**

C 35~55 Horsepower (13 Tooth Spline & Thru Hub Exhaust)

35 HP ~ 84
40 HP 84 ~

50 HP 87 ~
55 HP 81 ~ 88

MD 40, 50 TLDI
NSD 40, 50, TLDI

**Aluminum 3 blade
AMITA 3 Rubber Hub**

B	D	P	R	PART NO.
3	12.2	7	R	5311-122-07
3	12.2	8	R	5311-122-08
3	12.1	9	R	5311-121-09
3	11.6	11	R	5311-116-11
3	11.4	12	R	5311-114-12
3	11.1	13	R	5311-111-13
3	11.1	14	R	5311-111-14
3	11	15	R	5311-110-15
3	11	16	R	5311-110-16 NEW
3	11	17	R	5311-110-17 NEW

**Aluminum 3 blade
AMITA 3-C Plus Rubber Hub**

B	D	P	R	PART NO.
3	12	10	R	5311-120-10
3	11.8	11	R	5311-118-11
3	11.6	12	R	5311-116-12
3	11.6	13	R	5311-116-13
3	11.6	14	R	5311-116-14
3	11.4	15	R	5311-114-15 NEW
3	11.4	16	R	5311-114-16 NEW

**Aluminum 4 blade
AMITA 4 Rubber Hub**

B	D	P	R	PART NO.
4	11.8	9	R	5313-118-09
4	11.4	10	R	5313-114-10
4	11.1	11	R	5313-111-11
4	10.8	12	R	5313-108-12
4	10.5	13	R	5313-105-13
4	10.5	14	R	5313-105-14

Thru Hub (1/each)	Spacer (1/each)	Washer (2/each)	Nut (1/each)	Cover Pin (4/each)
TCTW	O.E.M Style Part	O.E.M Style Part	TCNT	CPIN (1/2")

* Required hardware to install propeller that SOLAS makes in hub C series propeller.

D 60~140 Horsepower (15 Tooth Spline & Thru Hub Exhaust)

60 HP 99 ~
70 HP 99 ~
MD 70, 90, 115 TLDI

90 HP 87 ~
115 HP
NSD 70, 90, 115 TLDI

120 HP 86 ~
140 HP 88 ~

**Aluminum 3 blade
AMITA 3 Rubber Hub**

B	D	P	R	PART NO.
3	14	9	R	3411-140-09
3	14	11	R	3411-140-11
3	13.75	13	R	3411-138-13
3	13.5	15	R	3411-135-15
3	13.25	17	R	3411-133-17
3	13	19	R	3411-130-19
3	13	21	R	3411-130-21

**Aluminum 3 blade
AMITA 3 Rubber Hub**

B	D	P	R	PART NO.
3	13.2	19	R	3411-132-19
3	13.2	21	R	3411-132-21



• Larger Blade Design
• High Performance

**Aluminum 4 blade
AMITA 4 Rubber Hub**

B	D	P	R	PART NO.
4	13.25	13	R	3413-133-13
4	13	15	R	3413-130-15
4	12.75	17	R	3413-128-17
4	12.5	19	R	3413-125-19
4	12.5	21	R	3413-125-21

Thru Hub (1/each)	Spacer (1/each)	Washer (2/each)	Nut (1/each)	Cover Pin (4/each)
TDTW	YDSP	TDWS	TCNT	CPIN (1/2")

TD-RBKT
* Required hardware to install propeller that SOLAS makes in hub D series propeller.

**** When replacing the O/E interchangeable hub propeller, you will need SOLAS TD- RBKT for proper installation.**